



# The TempArmour™ Vaccine Refrigerator

## Virtually Eliminates Cold Chain Incidents and Vaccine Losses

**Pharmaceutical Grade · VFC Compliant · Stability Shield Technology**

- Extremely stable operating temperatures that you can count on
- Eliminates the common issues of cold spots, temperature spikes, and freezing
- Vaccines protected up to 6 days during power outages - no backup power required!
- Resolve safety issue of vaccine retrieval during extreme weather
- Lowest power consumption available in vaccine refrigeration

### What our Customers are saying:

#### Unmatched Temperature Stability

"I love it! I have used many vaccine refrigerators over the years and have never previously used one that keeps temperatures so stable even when being opened constantly throughout the day."


— North Lambton Community Health Centre

#### The Fridge that Outlasts the Storms

"The performance of the TempArmour™ Refrigerators through Hurricane Irma was outstanding and no issues at all. We had TempArmour™ Refrigerators with vaccines in several facilities that had the power out for 2-3 days and all stayed within the required temperature range."

— Manatee County Rural Health Services

**Typical TempArmour™ fridge performance during power outage**



See our [Cost Comparison Table](#) to find out how TempArmour™ Refrigerator customers can reduce their costs by 84% or more!



**PRICE:** \$3299.00 USD

**PRODUCT DIMENSIONS:** 38" x 28" x 35"

**BASKET DIMENSIONS:** 7" x 10.5" x 10.2"  
(3 top and 2 bottom)

VFC COMPLIANT DATA LOGGER

**CAPACITY:**

Holds over 200 boxes of 10 x 0.5 ml vials or 70 boxes of 10 single dose syringes (based on typical manufacturer box sizes)

# The TempArmour™ Vaccine Refrigerator

## Virtually Eliminates Temperature Excursions

**Large Capacity** - Holds over 2000 doses\*, comparable to a 21ft<sup>3</sup> upright model



38"W x 28"L x 35"H

### No "Cold Spots"

- Store vaccines anywhere in fridge with confidence
- Spacing between vaccines not required

### Maintains temperature within range for up to 6 Days in the event of:

- Power outage
- Unplugged cord
- etc.

### Significant Cost Savings due to:

- Remote monitoring and on-call staff not required
- Backup power not required
- Very low power consumption

### No More Temperature Spikes or Freezing

- Consistent daily temperature readings

### Comprehensive Vaccine Organization System

- 5 baskets (3 top & 2 Bottom)
- Dividers / labels / trays

### Accurate Temp. Monitoring

- Min max thermometer and data logger included (meet all CDC & VFC requirements)

\*over 200 boxes of 10x0.5ml vials or 70 boxes of 10 single dose syringes (based on typical manufacturer box sizes).

## The TempArmour™ Refrigerator Advantage

- Superior temperature stability and uniformity
- Temperature stays within 2-8°C (36-46°F) range up to 6 days when power cut (no batteries required)
- Meets CDC and VFC Vaccine Program Requirements and Recommendations
- Comprehensive vaccine organization system
- Exceptionally low power consumption
- No scheduled maintenance required
- Pharmaceutical grade

### TEMPARMOUR REFRIGERATOR (MODEL BRV84)

#### Capacity

Holds over 200 boxes of 10 x 0.5 ml vials or 70 boxes of 10 single dose syringes (based on typical manufacturer box sizes). Capacity comparable to typical 21ft<sup>3</sup> upright models

#### PHYSICAL SPECS:

#### External Fridge Dimensions (W x L x H)

38 x 28 x 35 in  
96.5 x 71 x 88 cm

#### Internal Basket Dimensions (W x L x H)

7 x 10.5 x 10.2 in (top of basket)  
3 top baskets + 2 bottom baskets

#### Weight

200 lbs

#### Cabinet

Chest Style; Corrosion-resistant coated steel exterior; 6 ft cord; lock

#### Refrigerant

R134a (non-toxic; non-hazardous; non-ozone depleting; water based)

#### TEMPERATURE MONITORING:

#### Data Logger

Certified and Calibrated to ISO 17025; 2 year calibration  
*VFC Compliant*

#### Min-Max Thermometer

Certified and Calibrated to ISO 17025  
*VFC Compliant*

#### POWER SPECIFICATIONS:

#### Energy Source (AC)

110-120 V 60 Hz

#### Power Consumption

20 W/hr

#### OTHER:

#### Warranty

2 year parts & service; 5 year compressor

#### ISO 9001 Quality Management

Manufactured in an ISO 9001 Certified Facility